

www.asttimbers.com.au

Australian
Select
Timbers®



HICKORY IMPRESSIONS

CLASSIQUE

A truly new and unique range of Hickory Flooring.
Hardened by Nature.

www.hickoryfloors.com.au

CLASSIQUE

Australian Select Timbers is excited to announce a unique hardwood flooring range 'Hickory Impressions Classique'.

Our product development team is passionate and motivated, and has taken design, comfort and craftsmanship to extraordinary new heights with this new flooring product; which can withstand the rigours of life.

The fusion of hardness, strength, high stability and toughness - not commonly seen in many other engineered timber flooring products, combined with warm colours and a texture similar to European Oak, makes Hickory a must have choice for any home.








ARTAX

Modern meets classique with traditional colours and textures


Hickory Impressions Classique consists of 11 modern colours, which all display the perfect texture of American Hickory hardwood.



The Origin of Hickory

The American hardwood industry dates back to the first European settlers, who had a wealth of experience in processing native hardwoods in North America.

Few other countries can boast the success America has had in the sustainability of its hardwood forests, due to the intensive application of Best Management Practices (BMP). The hardwood forests of America support a vibrant healthy standard of timber, as well as a large diverse wild life population. Hickory is therefore not classified as a species in danger. Hickory is sort after for many applications due to its strength, toughness hardness; and is commonly used in tool handles, drumsticks, baseball bats, wooden wheels, furniture and flooring.



Horses & Hickory

Due to it's high strength, Hickory was traditionally used in the 1800's, for the manufacture of horse cart wheels. Today, hickory is widely used for many uses in our daily life.




SEABISCUIT


New Colours of Hickory Impression Classique

Hickory Impressions Classique has a timeless wire brush finish to create the feel of a natural timber finish.

Hickory Impression Classique widens your flooring colour choices




ARTAX




SEABISCUIT




SAINTLY




DANEHILL




TODMAN




ARCHER




WINX




BERNBOROUGH



CARBINE



KINGSTON



BLACK CAVIAR



Janka Hardness Rating

Timber Species	Janka Rating	Rank
Brazilian Walnut Ipe	16	1
Red Iron Bark, Grey Iron Bark	12-15	2
Jarraah, Blackbutt, Sydney Blue Gum, Hickory , Spotted Gum	8-11	3
Tasmanian Oak, Australian Beech, European Oak	5.5-7.5	4
Pine	2.9	5



DANEHILL



Features of Hickory Impressions Classique



The amazing hardness of Hickory Impressions, is a simple choice for any busy home or office. The product will stand up to the busiest of families and pets, and provide a floor that will look top notch for years to come.

- High Stability
- Hardiness - Janka Rating: 8-11
- 11 Superb Colours
- Strength and Durability above European Oak
- Manufactured by a world class facility
- Lifetime structural warranty
- 20 year residential wear warranty
- 5 year commercial wear warranty

1900mm x 190mm x 12mm

UV Lacquer

Wire Brushed


Matte Finish

Nested Boards in Packs

Pack Size 6 boards / 2.166sqm



Hickory Flooring Accessories



Select Underlay 2mm and 3mm

Available in 2mm or 3mm our EVA Acoustic Underlay offers a higher density fabrication compared to standard closed cell foam. Ensuring thermal and acoustic standards are exceeded for residential and commercial applications.

Select Underlay
Acoustic Underlay



Square Edge Stair Nosings

Hickory Impressions stair nosing allows you to continue your floor scheme where there are stairs. Colours are available for the entire range.

- Architecturally designed Manufactured from pre-finished engineered timber
- 1900mm x 90mm x 12mm
- Colours to match floor boards



Solid Timber Scotia

Finish the edge of your Hickory Impressions floor with our premium designed solid scotia. Colours are available for the entire range.

- Manufactured from solid timber
- 1900mm x 18mm x 18mm
- Colours to match floor boards



Adjustable Trims

AST offers high quality aluminium adjustable trims to finish off your floor space. Available in an array of colour finishes (silver, champagne and black).

Height Available in:
5-8, 8-12, 15-20mm
adjustable



Care & Maintenance

Australian Select Timbers® brings you stylish, sustainable, sophisticated and simply beautiful floors but taking care of them to preserve their magnificent finish and quality presence, is a must. Following a few simple care and maintenance guidelines, will ensure your floor continues to be a thing of beauty for years to come.

Preventative Maintenance

- Install good quality mats inside and outside of external doors, to trap grit and remove moisture from shoes is a sensible precaution and will reduce the possibility of scratches.
- In high traffic areas where spillage may occur, the use of mats is recommended to give added protection.

- All furniture should have felt pads fitted to the base of legs or on other areas in contact with the floor to avoid scratches. On heavy furniture felt backed castors can be used if required.
- Avoid using wheeled chairs i.e. office furniture or ensure that a large good quality office mat is used to prevent indentations in the timber.
- Rubber based items e.g. the backing for matting, castors under furniture and rubber tipped furniture feet should not be in direct contact with the floor.
- Keep pet's nails trimmed to protect the floor from scratches.
- All timber reacts when exposed to direct sunlight and this may cause colour changes or fading. Curtains, blinds or UV resistant films on windows should be considered to reduce the exposure to direct sunlight and protect the flooring. Furniture and rugs should be moved occasionally so that the effect of sunlight on the floor is uniform.
- Any materials spilt on the floor should be wiped up immediately.
- Maintaining the temperature and humidity within a reasonably consistent range will keep the floor stable.

Cleaning

- Dry cleaning of the floor should be carried out regularly to remove loose dirt, grit and dust. Use a *SelectCare+* Dusting pad or soft broom. If vacuum cleaning, the cleaning head must have a soft brush so as to not damage the floor.
- Use a *SelectCare+* Spray Mop with *SelectCare+* Wood Floor Cleaner to clean the floor surface when required; dry clean the floor first. Do not 'wet' mop the floor anytime as excessive amounts of water may cause damage.

Avoid the following:

- Indentation from stilettos or spiked heels.
- Pulling or pushing furniture or other objects across the floor.
- Avoid using a steam mop, abrasive cleaning materials or harsh detergents / household cleaners on the floor. Using these cleaning methods / materials will harm the surface of the floor and may cause physical damage to the boards.
- Do not use solvents of any kind to clean the floor. Methylated Spirits, Turpentine or similar materials will damage the floor surface.



SelectCare⁺
Floor Cleaning Solutions



Keep it clean with AST's **SelectCare⁺**
Your complete floor care cleaning solutions.

Australian
Select
Timbers®



Hardened by Nature.

www.hickoryfloors.com.au

www.asttimbers.com.au